Systems biology

EpiTOP – a proteochemometric tool for MHC class II binding prediction

Ivan Dimitrov¹, Panayot Garnev¹, Darren R. Flower², Irini Doytchinova¹*

¹Faculty of Pharmacy, Medical University of Sofia, 2 Dunav st., 1000 Sofia, Bulgaria and ²Life and Health Sciences, Aston University, Aston Triangle, Birmingham, B4 7ET, UK

Received on XXXXX; revised on XXXXX; accepted on XXXXX

Associate Editor: XXXXXXX

ABSTRACT

Motivation: T-cell epitope identification is a critical immunoinformatic problem within vaccine design. To be an epitope, a peptide must bind an MHC protein.

Results: Here we present EpiTOP, the first server predicting MHC class II binding based on proteochemometrics, a QSAR approach for ligands binding to several related proteins. EpiTOP uses a quantitative matrix to predict binding to 12 HLA-DRB1 alleles. It identifies 89% of known epitopes within the top 20% of predicted binders, reducing laboratory labour, materials, and time by 80%. EpiTOP is easy to use, gives comprehensive quantitative predictions, and will be expanded and updated with new quantitative matrices over time.

Availability: EpiTOP is freely accessible a http://www.pharmfac.net/EpiTOP.

Contact: idoytchinova@pharmfac.net

Supplementary information: Supplementary data are available at *Bioinformatics* online.

1 INTRODUCTION

T-cell epitope identification is a challenging immunoinformatic problem within vaccine design. To be an epitope, a peptide should bind an MHC protein. For MHC class I, epitopes typically comprise 8-10 residues. The MHC class II binding site is open-ended, allowing much longer peptides to bind, although only 9 amino acids occupy the site. Many computational methods have been developed for T-cell epitopes: see Flower (2008). Many work well and are widely used by immunologists and vaccinologists.

Most available epitope prediction methods separately address peptides binding particular MHC proteins, developing models for a single target allele. For MHC class II, only the generalized ANN-based server NetMHCIIpan uses both peptide and HLA sequence information (Nielsen et al., 2008). Recently, we developed a proteochemometrics-based approach to MHC class II prediction (Dimitrov et al., 2010). Proteochemometrics, a QSAR approach originally developed by Wikberg (Lapinsh et al., 2001), deals with ligands binding to several related proteins. In conventional QSAR, the X matrix of descriptors includes only information from ligands. In proteochemometrics, the X matrix contains information from

proteins and ligands. A single proteochemometric model could potentially predict peptide binding to many MHC proteins.

We have developed and validated several models for binding to several HLA-DRB1 alleles, and now make the best model available in the server EpiTOP. It uses a quantitative matrix (QM) to predict peptide affinity to 12 HLA-DRB1 proteins: DRB1*0101, DRB1*0301, DRB1*0401, DRB1*0404, DRB1*0405, DRB1*0701, DRB1*0802, DRB1*0901, DRB1*1101, DRB1*1201, DRB1*1301 and DRB1*1501.

2 ALGORITHM

The EpiTOP algorithm was described in detail elsewhere (Dimitrov et al., 2010). Briefly, the QM was derived from 2666 known binders of different length, binding to 12 HLA-DRB1 alleles, and which were extracted from the Immune Epitope database (September 2008) (Peters et al., 2005). Peptides are described using three z-scales per residue broadly corresponding to volume, hydrophobicity, and polarizability (Hellberg et al., 1987). Nonamers are encoded by a sequence of 27 z-descriptors (9 positions x 3 zscales), forming the L block. HLA-DRB1 alleles are encoded by 54 descriptors (18 positions x 3 z-scales), forming the P block. We use only polymorphic residues within the binding site that interact with the peptide. The model also contains cross-terms for adjacent peptide positions (L12 block) and peptide-protein cross-terms (LP block). The LP block contains cross-terms for peptide-protein amino acid interactions in pockets 1, 4, 6, 7 and 9. The affinities of binders were assessed as pIC₅₀ values.

The QM was derived using the iterative-self consistent (ISC) algorithm (Doytchinova and Flower, 2003). Briefly, the initial training set included all nonamers with anchors (Tyr, Phe, Trp, Leu, Ile, Met, and Val) at position 1 (n = 10670). This was used to extract the first model. The optimum number of principal components (PC) was derived by cross-validation in 7 groups. The first model was used to predict pIC $_{50}$ s of the initial set and the best predicted nonamers from each parent peptide formed a second training set. This second set was used to produce the second model, which predicts pIC $_{50}$ s of the initial training set. The best predicted nonamers from each parent peptide were selected and placed in a third training set. The selection procedure was repeated until the peptides in consecutive derived training sets were the same at the 99% level.

Protein sequences are submitted to EpiTOP in one letter format. A protein is divided into overlapping nonamers. Only nonamers bearing anchor residues at position 1 are assessed, the rest being omitted as non-binders. The binding affinities of the nonamers are

^{*}To whom correspondence should be addressed.

predicted using the derived proteochemometric QM. In the results page nonamers are arranged in descending order according to pIC₅₀. Results can be expressed using six different cutoffs: top 5%, 10%, 15%, 20%, 25% and All binders.

3 IMPLEMENTATION

EpiTOP 1.0 is a web-based application written in PHP and HTML, and integrating the MySQL database environment. It is freely accessible via http://www.pharmfac.net/EpiTOP. EpiTOP identifies peptides binding to HLA-DRB1 alleles within protein sequences, with options to vary HLA allele and cutoff.

4 PERFORMANCE

Three test sets were used to benchmark EpiTOP performance: AntiJen, IEDB and Lin's data sets. The evaluation based on Anti-Jen and IEDB data sets was performed under conditions similar to those an experimental immunologist might use: the complete protein sequences were submitted to a server and the results recorded. Five thresholds were used: top 5%, 10%, 15%, 20%, and 25% of predicted binding nonamers. Identified binders are shown as a percentage of all binders (sensitivity). The predictive ability of EpiTOP was compared to eight other servers: SVMHC (Dönnes and Elofsson, 2002), ProPred (Singh and Raghava, 2001), RANKPEP (Reche et al., 2004), IEDB-ARB (Bui et al., 2005), IEDB-SMM_align (Nielsen et al., 2007), MHC2Pred (http://www. imtech.res.in/raghava/mhc2pred/), NetMHCII (http://www.cbs.dtu. dk/services/NetMHCII), and NetMHCIIpan (Nielsen et al., 2008). SVMHC, ProPred, RANKPEP, IEDB-ARB, IEDB-SMM_align and EpiTOP are QM-based methods, MHC2Pred uses SVM, NetMHCII and NetMHCIIpan are ANN-based. Some of the servers do not predict binding to all DRB1 alleles used in the test sets. Only servers IEDB, NetMHCIIpan and EpiTOP make predictions for all 12 DRB1 alleles. Although many methods give quantitative predictions, in our evaluation they were used as classification methods. Each server was evaluated only on the alleles it predicts.

The evaluation using Lin's data set was performed in terms of Receiver Operating Characterictic (ROC) statistics (Bradley, 1997). Two variables *sensitivity* and *1-specificity* were calculated at different thresholds. The area under curve (AUC) is a quantitative measure of predictive ability and varies from 0.5 for random prediction to 1.0 for a perfect prediction. The performance of EpiTOP was compared to that of four other servers: SVMHC, Pro-Pred, IEDB-SMM and NetMHCIIpan (Nielsen and Lund, 2009).

AntiJen and IEDB datasets used for benchmark are given as Supplementary material I. Lin's data set is freely accessible at http://bio.dfci.harvard.edu/DFRMLI. The detailed results are given as Supplementary material II.

AntiJen benchmark data set

The AntiJen data set consisted of 116 epitopes belonging to 29 proteins and binding to 6 HLA-DRB1 alleles (Supplemetary material I). It was extracted from the AntiJen database (Toseland et al., 2005). These epitopes bind to DRB1*0101 (22 binders), DRB1*0301 (7 binders), DRB1*0401 (62 binders), DRB1*0404 (1 binder), DRB1*1101 (2 binders), and DRB1*1501 (22 binders).

The results from the evaluation based on AntiJen test set are shown in Table 1. For the top 5% cutoff, EpiTOP is sixth in sensi-

tivity, for the top 10% - fifth, and for the top 15% to 25% - third after NetMHCIIpan and NetMHCII.

Table 1. *Sensitivity* at different cutoffs for AntiJen data set. The total number of binders is 116. Time of evaluation: September 2009. Allele specific performance is given in Supplementary Material II.

Server	top 5% %	top 10% %	top 15% %	top 20% %	top 25% %
SVMHC	38	40	40	40	40
ProPred	58	69	69	69	69
RANKPEP	51	53	53	53	53
IEDB-ARB	44	58	64	65	66
IEDB-SMM	12	16	16	19	20
MHC2Pred	56	66	77	82	87
NetMHCII	55	75	87	91	97
NetMHCIIpan	65	80	90	96	97
EpiTOP	44	71	85	89	95

IEDB benchmark data set

The data set extracted from the Immune Epitope database (December 2009) consisted of 4540 epitopes, originating from 167 proteins (Supplemetary material I). The peptides from this set bind to 12 DRB1 alleles: DRB1*0101 (2051 binders), DRB1*0301 (190 binders), DRB1*0401 (392 binders), DRB1 *0404 (159 binders), DRB1*0405 (244 binders), DRB1*0701 (336 binders), DRB1*0802 (153 binders), DRB1*0901 (160 binders), DRB1*1101 (275 binders), DRB1*1201 (24 binders), DRB1*1302 (243 binders) and DRB1*1501 (313 binders).

The results from the evaluation based on IEDB are given in Table 2. At the time of the evaluation (January 2010) SVMHC was not accessible and it was excluded from the study. For the top 5% cutoff, EpiTOP is third in sensitivity; for the top 10% it is fourth; for the top 15%, third together with RANKPEP; and for the top 20% and 25%, it is second after NetMHCIIpan.

Table 2. Sensitivity at different cutoffs for IEDB data set. The total number of binders is 4540. Time of evaluation: January 2010. Allele specific performance is given in Supplementary Material II.

Server	top 5%	top 10%	top 15%	top 20%	top 25%
	%	%	%	%	%
ProPred	46	55	55	55	55
RANKPEP	44	67	80	88	88
IEDB-ARB	15	25	34	41	47
IEDB-SMM	22	35	45	53	59
MHC2Pred	19	29	38	46	52
NetMHCII	55	73	83	89	92
NetMHCIIpan	55	75	86	92	95
EpiTOP	45	66	80	89	93

Lin's benchmark data set

Lin's data set (http://bio.dfci.harvard.edu/DFRMLI/) consists of 103 overlapping peptides derived from four protein antigens – bee venom phospholipase A2, dog lipocalin, tumor antigen LAGE-1 and viral antigen HIV NEF (Lin et al., 2008). The binding affinities to seven HLA-DR molecules (DRB1*0101, *0301, *0401,

60

60

*0701, *1101, *1301 and *1501) were measured using a competition assay. We excluded allele DRB1*1301 as several servers did not predict binding to it.

Results from this evaluation are shown in Table 3. AUC values for SVMHC, ProPred, IEDB-SMM and NetMHCIIpan are taken from a previous study (Nielsen and Lund, 2009). EpiTOP has the second best result after NetMHCIIpan.

Table 3. AUC values for Lin's data set. The total number of peptides is 103. Results for SVMHC, ProPred, IEDB-SMM and NetMHCIIpan are taken from Nielsen and Lund, 2009. Time of evaluation: April 2010. Protein specific performance is given in Supplementary Material II.

DRB1 allele	SVMHC	ProPred	IEDB- SMM	Net MHCII	EpiTOP
*0101	0.86	0.89	0.81	0.90	0.72
*0301	0.69	0.70	0.71	0.78	0.89
*0401	0.75	0.75	0.79	0.84	0.84
*0701	0.74	0.74	0.67	0.75	0.73
*1101	0.83	0.83	0.84	0.85	0.79
*1501	0.66	0.66	0.67	0.79	0.74
average	0.76	0.76	0.75	0.82	0.79

Identification of the peptide binding core

EpiTOP was tested to identify the peptide binding core on a set of X-ray data for peptide-DRB1 allele complexes (Nielsen et al., 2008). EpiTOP performance was compared to those of TEPITOPE, IEDB-SMM, NetMHCIIpan and NetMHCII, published by Nielsen and Lund, 2009 (Table 4).

EpiTOP identified 8 out of 11 binding cores correctly (73%). Two of the misaligned cores (MRMATPLLM and MRADAAAGG) are second best binders with predicted pIC₅₀ values very close to the best binders (Supplementary material II).

Table 4. Identification of peptide binding core. Binding core is given in bold. Results for TEPITOPE, IEDB-SMM, NetMHCIIpan and NetMHCII are taken from Nielsen and Lund, 2009. Time of evaluation: April 2010. Detailed scores for EpiTOP are given in Supplementary Material II.

			TE	IE	Net	Net	Epi	
DRB1	pdb	peptide	PI	DB-	MH	MH	TOP	
allele	code		TO	SM	CII-	CII		
			PE	M	pan			
*0101	2fse	AGFKGEQGPKGEPG	$\sqrt{}$	$\sqrt{}$	√	$\sqrt{}$		
*0101	2iam	GEL IGILNAAKV PAD	\checkmark	√	√	\checkmark	\checkmark	
*0101	1sje	PEVIPMFSALSEGATP		√	√		X	
*0101	1dlh	PK YVKQNTLKL AT	\checkmark	√	√	\checkmark	\checkmark	
*0101	1aqd	VGSD WRFLRGYHQ YA		√	√		$\sqrt{}$	
*0101	1pyw	AFVKQNAAALA	$\sqrt{}$	X	\checkmark	$\sqrt{}$	$\sqrt{}$	
*0101	1t5w	AA YSDQATPLL LSPR	$\sqrt{}$	\checkmark	√	$\sqrt{}$	$\sqrt{}$	
*0301	1a6a	PVSK MRMATPLLM QA	$\sqrt{}$	$\sqrt{}$	\checkmark	$\sqrt{}$	X	
*0401	2seb	AY MRADAAAG GA	$\sqrt{}$	\checkmark	X	X	X	
*0401	1j8h	PK YVKQNTLKL AT	$\sqrt{}$	$\sqrt{}$	\checkmark	$\sqrt{}$	$\sqrt{}$	
*1501	1bx2	ENPV VHFFKNIVT PR	$\sqrt{}$	\checkmark	√	\checkmark	$\sqrt{}$	

5 DISCUSSION

We undertook a rigorous evaluation of the performance of EpiTOP across three datasets, comparing it to that of either four or eight other servers, using either recall statistics or ROC analysis. Overall, EpiTOP compares very favourably with other more specialized models. For the AntiJen and IEDB datasets, EpiTOP performs suboptimally only at the highest specificity; since it is strongly inclusive and much broader in its predictive potential, other much more

highly-focused, allele-specific models outperform it at this highly stringent level. At more permissive thresholds, and within statistical error, EpiTOP performs identically to best-in-class servers.

For Lin's dataset, the five tested binders were much close in performance: within the limits of error, EpiTOP performs sub-optimally only for DRB1*0101. It is interesting to note that EpiTOP is very much the best model for DRB1*0301.

For the identification of binding cores, EpiTOP again performs well, but interestingly core identification correlates inversely with overall statistical perform, perhaps suggesting that much remains to be understood regarding class MHC-peptide interaction.

Taken together, results from these various benchmarking exercises both validate EpiTOP and indicate that development of a synergistic meta-server, which integrates results from several servers should prove a useful exercise, hopefully yielding significant overall enhancements.

6 CONCLUSION

EpiTOP is the first proteochemometrics-based server for T-cell epitope prediction. It is a tool for performing preliminary computational analyses of large datasets for accelerated epitope-based vaccine design. It is easy to use, gives comprehensive quantitative predictions and will be expanded and updated with new QMs.

Funding: The National Science Fund of Ministry of Education and Science, Bulgaria (Grant 02-115/2008) and Wellcome Trust (Grant WT079287MA).

REFERENCES

Bradley, A.P. (1997) The use of the area under the ROC curve in the evaluation of machine learning algorithms. *Pattern Recognition*, 30, 1145-1159.

Bui, H.H. et al. (2005) Automated generation and evaluation of specific MHC binding predictive tools: ARB matrix applications. *Immunogenetics*, 57, 304-314.

Dimitrov, I. et al. (2010) Peptide binding to the HLA-DRB1 supertype: A proteochemometrics analysis. Eur. J. Med. Chem., 45, 236-243.

Dönnes, P. and Elofsson, A. (2002) Prediction of MHC class I binding peptides, using SVMHC. BMC Bioinformatics, 3, 25.

Doytchinova, I.A. and Flower, D.R. (2003) Towards the in silico identification of class II restricted T-cell epitopes: a partial least squares iterative selfconsistent algorithm for affinity prediction. *Bioinformatics*, 19, 2263-2270.

Flower, D.R. (2008) Vaccines: Data driven prediction of binders, epitopes and immunog enicity. In Flower, D.R. (ed), *Bioinformatics for Vaccinology*, Wiley-Blackwell, pp.167-216.

Hellberg, S. et al. (1987) Peptide quantitative structure-activity relationships, a multivariate approach. J. Med. Chem. 30, 1126-1135.

Lapinsh, M. et al. (2001) Development of proteo-chemometrics: a novel technology for the analysis of drug-receptor interactions. *Biochim. Biophys. Acta*, **1525**, 180-190

Lin, H.H., et al. (2008) Evaluation of MHC-II peptide binding prediction servers: applications for vaccine research. BMC Bioinformatics, 9, S22.

Nielsen, M. et al. (2007) Prediction of MHC class II binding affinity using SMMalign, a novel stabilization matrix alignment method. *BMC Bioinformatics*, **8**, 238. Nielsen,M. et al. (2008) Quantitative predictions of peptide binding to any HLA-DR

molecule of known sequence: NetMHCIIpan. *PLoS Comput. Biol.*, **4**, e1000107.

Nielsen, M. and Lund, O. (2009) NN-align. An artificial neural network – based alignment algorithm for MHC class II peptide binding prediction. BMC Bioinformatics, 10, 296.

Peters, B. et al. (2005) The immune epitope database and analysis resource: from vision to blueprint. *PLoS Biol.*, **3**, e91.

Reche, P.A. et al. (2004) Enhancement to the RANKPEP resource for the prediction of peptide binding to MHC molecules using profiles. *Immunogenetics*, **56**, 405-410

Singh, H. and Raghava, G.P.S. (2001) ProPred: Prediction of HLA-DR binding sites. *Bioinformatics*, 17, 1236-1237.

Sturniolo, T., et al. (1999) Generation of tissue-specific and promiscuous HLA ligand databases using DNA microarrays and virtual HLA class II matrices. *Nat. Bio*technol. 17, 555-561

Toseland, C.P. et al. (2005) AntiJen: a quantitative immunology database integrating functional, thermodynamic, kinetic, biophysical and cellular data. *Immunome Res.*, 1, 4.